

Contest Academy 2014 Terrain Analysis for HF Contesting

**By Dean Straw, N6BV
at IDXC, Visalia April 4, 2014**

Sunset at N6RO acres

“The subject of how to choose a QTH for working DX has fascinated hams since the beginning of amateur operations. No doubt, Marconi spent a lot of time wandering around Newfoundland looking for a great radio QTH before making the first transatlantic transmission.”


The ARRL Antenna Book, 22st Ed.



Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:


- The range of elevation angles needed.



Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:


- The range of elevation angles needed.
- Antenna performance parameters (modeling).



Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:

- The range of elevation angles needed.
- Antenna performance parameters (modeling).
- The effects of local terrain.




Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:

- The range of elevation angles needed.
- Antenna performance parameters (modeling).
- The effects of local terrain.

Which is more important: antenna modeling or terrain modeling?




Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:

- The range of elevation angles needed.
- Antenna performance parameters (modeling).
- The effects of local terrain.

Terrain modeling... Good guess!



Range of Elevation Angles

- More than twenty years ago I started a detailed study at ARRL HQ on the range of elevation angles needed for communication between various locations around the world.

Range of Elevation Angles

- More than twenty years ago I started a detailed study at ARRL HQ on the range of elevation angles needed for communication between various locations around the world.
- I used the *IONCAP* program (now upgraded to *VOACAP*), along with some proprietary software I wrote.

Range of Elevation Angles

- More than twenty years ago I started a detailed study at ARRL HQ on the range of elevation angles needed for communication between various locations around the world.
- I used the *IONCAP* program (now upgraded to *VOACAP*), along with some proprietary software I wrote.
- Later, I upgraded the statistics using corrected *IONCAP* loss tables in the latest version of *VOACAP*, plus more receiver QTHs.

Statistical Range of Elevation Angles Needed, by Band

Boston, Ma to Europe Elev	80m	40m	30m	20m	17m	15m	12m	10m
1	3.6	5.5	4.4	2.5	2.7	3.5	4.7	5.1
2	3.7	3.1	5.2	3.0	2.9	3.6	3.9	3.8
3	1.3	1.1	3.8	5.3	4.6	3.8	4.5	8.0
4	2.4	2.8	6.5	9.3	10.8	10.6	8.2	5.8
5	3.6	4.9	6.7	8.7	11.0	10.9	12.0	10.9
6	6.4	6.3	5.4	6.8	7.0	9.6	10.3	9.9
7	5.5	7.8	4.7	4.6	5.5	6.4	7.9	6.0
8	3.7	4.5	4.0	3.6	4.8	5.5	6.5	6.9
9	2.3	4.8	6.6	5.4	6.1	6.3	6.4	10.4
10	1.5	4.0	6.4	6.8	5.3	5.0	3.8	5.1
11	2.5	4.0	6.8	7.4	6.5	5.0	4.9	4.6
12	4.2	4.4	5.2	5.4	5.9	5.5	4.7	5.8
13	6.3	5.1	3.8	4.6	4.1	3.9	3.6	2.7
14	4.9	3.8	3.6	3.2	3.4	3.5	3.9	4.0
15	3.5	4.4	2.9	3.1	2.2	2.5	1.7	1.6
16	3.1	5.2	3.7	3.6	3.2	2.0	2.9	2.0
17	4.1	4.3	3.2	3.1	2.4	2.4	1.8	0.7
18	4.3	2.9	2.2	2.6	2.8	2.1	2.4	2.2
19	4.6	3.0	2.3	1.8	1.4	1.3	0.7	0.4
20	4.9	3.1	2.2	1.6	1.8	2.0	2.0	2.4
21	4.3	2.8	2.6	1.5	0.7	0.8	1.2	0.4
22	4.3	2.5	2.4	1.8	1.0	1.1	1.1	1.1
23	3.5	2.1	1.7	1.2	0.6	0.4	0.1	0.0
24	2.5	2.0	1.1	0.9	0.8	0.3	0.3	0.0
25	2.3	1.3	0.7	0.7	0.5	0.2	0.1	0.0
26	2.7	1.1	0.6	0.5	0.6	0.6	0.1	0.0
27	1.9	0.5	0.4	0.2	0.2	0.2	0.2	0.0
28	0.8	0.6	0.3	0.2	0.3	0.4	0.0	0.0
29	0.5	0.4	0.2	0.1	0.2	0.3	0.0	0.0
30	0.2	0.4	0.2	0.1	0.3	0.1	0.0	0.0




Example: elevation angles from Boston to Europe on 20m.

Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:

- The range of elevation angles needed.
- Antenna performance parameters (modeling).
- The effects of local terrain.



Antenna Modeling

- Computer antenna modeling has come a long way in the last 30 years or so.

Antenna Modeling

- Computer antenna modeling has come a long way in the last 30 years or so.
- Most modern modeling programs, such as *EZNEC*, are derived from *NEC-2* FORTRAN code.


Antenna Modeling

- Computer antenna modeling has come a long way in the last 30 years or so.
- Most modern modeling programs, such as *EZNEC*, are derived from *NEC-2* FORTRAN code.
- *NEC-2* works fine over flat ground or in free space — it doesn't do so well, however, when *diffractions* occur over real-world ground terrain.

Scientifically Planning a Station

There are three elements needed to plan an HF station *scientifically*:

- The range of elevation angles needed.
- Antenna performance parameters (modeling).
- The effects of local terrain.



Terrain Assessment

- Over the last dozen or so years, I've evaluated antenna systems at many “digital” QTHs all around the world.

Terrain Assessment

- Over the last dozen or so years, I've evaluated antenna systems at many “digital” QTHs all around the world.
- In other presentations and Webinars, I've dealt in great detail with how to get digital terrain data to use within *HFTA*. (I won't dwell on how to get terrain data here. See latest *HFTA.pdf* on ARRLWeb for instructions.)

Terrain Assessment

- Over the last dozen or so years, I've evaluated antenna systems at many “digital” QTHs all around the world.
- In other presentations and Webinars, I've dealt in great detail with how to get digital terrain data to use within *HFTA*. (I won't dwell on how to get terrain data here. See latest *HFTA.pdf* on ARRLWeb for instructions.)
- Instead, this presentation is about how you can interpret *HFTA* results so that you can optimize your own HF antenna system.

Terrain Assessment

- Back about 1991, Bill Myers, K1GQ, shared with me some computer code that ray-traced reflections across real-world terrain.

Terrain Assessment

- Back about 1991, Bill Myers, K1GQ, shared with me some computer code that ray-traced reflections across real-world terrain.
- Bill inspired me to add the ability to take diffractions into account — thus was born DOS *YT (Yagi Terrain Analysis)*, and eventually the *HFTA* program.

The *HFTA* Program

- *HFTA* stands for “High Frequency Terrain Assessment.”

The *HFTA* Program

- *HFTA* stands for “High Frequency Terrain Assessment.”
- *HFTA* is a ray-tracing program.

The *HFTA* Program

- *HFTA* stands for “High Frequency Terrain Assessment.”
- *HFTA* is a ray-tracing program.
- Consider it like a rifle, shooting bullets in steps of $1/4^\circ$ from $+45^\circ$ to -45° , and watching how the bullets interact with the ground terrain.


The *HFTA* Program

- *HFTA* stands for “High Frequency Terrain Assessment.”
- *HFTA* is a ray-tracing program.
- Consider it like a rifle, shooting bullets in steps of $1/4^\circ$ from $+45^\circ$ to -45° , and watching how the bullets interact with the ground terrain.
- *HFTA* calculates reflections and diffractions over the terrain.

The *HFTA* Program

- *HFTA* integrates the computed elevation response of an antenna array with the elevation angles statistically necessary to launch HF signals into the ionosphere.

Gain & Elevation-Angle Statistics



Elevation response of 3-element Yagi at 70' over flat ground


Elevation-angle stats

7.4% of all the times 20 m is open to EU from W1, the angle is 11°

The *HFTA* Program

- *HFTA* integrates the computed elevation response of an antenna array with the elevation angles statistically necessary to launch HF signals into the ionosphere.
- *HFTA* shows what angles you need and what gain you get over a particular terrain.

Covering All the Angles...




"Perfect" response to cover all the necessary angles

The *HFTA* Program

- *HFTA* integrates the computed elevation response of an antenna array with the elevation angles statistically necessary to launch HF signals into the ionosphere.
- *HFTA* shows what angles you need and what gain you get over a particular terrain.
- As usual, several pictures are worth at least a thousand words.


Local Terrain, an Example



Slope nearest tower base is most important

Terrain at K5ZD/1 in Massachusetts, towards Europe.

Results, K5ZD Towards Europe




K5ZD's steep terrain has a major effect compared to a flatland antenna. Note "Fig. of Merit" (FOM).



The *Figure of Merit* in *HFTA*

- The Fig. of Merit (FOM) shown in *HFTA* is the gain at each elevation angle multiplied by the elevation-angle percentage for that angle for a particular path, summed and averaged over all angles from 1 to 35°.




FOM

The Figure of Merit in HFTA

- FOM is a statistical “weighted gain,” calibrated in dBi. It is a “snapshot” of performance. Like any snapshot, FOM must be used carefully.


Remember the story of the three blind men and the elephant?




The Figure of Merit in HFTA

- FOM is a statistical “weighted gain,” calibrated in dBi. It is a “snapshot” of performance. Like any snapshot, FOM must be used carefully.
- FOMs change depending on the terrain in direction of the target receiving area and on the frequency.

W6NL Towards the USA




First, Some Perspective on Terrain



Scaling for x- and y-axes is set automatically in *HFTA* to show terrain changes most vividly.

True Perspective



Using same scales for x- and y-axes. (Note my trick of placing antenna 14,400 feet above flat terrain.)

What Can I Change Using *HFTA*?


1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).
3. Stack two (or more) Yagis.
4. Change spacing between stacked Yagis.
5. Move tower back from a cliff (or a hill).
6. Do BIP/BOP (Both In-Phase/Both Out-of-Phase).

Let's examine each of these.

What Can I Change Using *HFTA*?


1. Antenna height above ground.

The Effect of Antenna Height



Because of the steep slope at W6NL, a 35-foot high 20-meter antenna can cover **both** low and high angles well. Note the reference antenna at 35 feet over **flat** ground.

High Tower on a Steep Hill?




Now, a **70-foot high** 20-meter antenna has a big null right at 9° , the highest-percentage elevation angle.

What Can I Change Using *HFTA*?


1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).

Antenna Gain —No. of Elements



Note the shape of the responses over real terrain compared to flat ground.

Need More Gain?




With six elements the gain increases, but the shape of the elevation pattern doesn't change. The response shape is set by the terrain and the antenna height.

What Can I Change Using *HFTA*?

1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).
3. Stack two (or more) Yagis.


Stacking 3L/3L at W6NL



The 70'/35' stack covers a greater range of angles

Another Example, K1EA


10/40




15/20



Hilltop at K1EA Towards Europe




Zooming in Close to Tower



Stacking 4L/4L/4L/4L on 10m at K1EA

Main
reference:
stack over
flat ground

Another
“reference”:
a Little Gun
with a
tribander at
60'




Pretty close to flat-ground response —
almost moon-bounce gain!


What Can I Change Using *HFTA*?

1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).
3. Stack two (or more) Yagis.
4. Change spacing between stacked Yagis.

Normal Spacings in Stacks



Spacing Too Wide




Too wide
at 120'/40'




What Can I Change Using *HFTA*?

1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).
3. Stack two (or more) Yagis.
4. Change spacing between stacked Yagis.
5. Move tower back from a cliff (or a hill).


Tower Moved Back 1000 Feet



Zoomed-in: Tower Moved Back 1000 Feet




Tower Moved Back 1000 Feet



What Can I Change Using *HFTA*?

1. Antenna height above ground.
2. Select gain (number of elements for a Yagi).
3. Stack two (or more) Yagis.
4. Change spacing between stacked Yagis.
5. Move tower back from a cliff (or a hill).
6. Do BIP/BOP (Both In-Phase/Both Out-of-Phase).

Top Yagi 180° Out-of-Phase




Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths

Let's examine these one-by-one.


Difficult Terrains

- Shooting uphill — KY6R to Europe and Mid-East



The early part of the upwards slope is the most challenging for low takeoff angles.


KY6R, Deep in a Valley



Courtesy: KY6R

Difficult Terrains

- Shooting uphill — KY6R to Europe and Mid-East




“Extreme DXing”? Rich finally made the Honor Roll.

Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths


Difficult Terrains

- Saddlebacks




Saddleback

Zoomed-in View of NT1Y Terrain



We Shouldn't Feel Too Bad for NT1Y...

A typical Tribander at 70' over flat ground, for comparison




Bill was still *very* competitive, in spite of that saddleback.

Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths


Difficult Terrains

- Peeking over a hump to ZL




Difficult Terrains

- Peeking over a hump to ZL zoomed-in



Difficult Terrains

- Peeking over a hump to ZL




Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths


Difficult Terrains

- Terrain is too steep (too much of a good thing?)



Difficult Terrains

- Terrain is too steep (too much of a good thing?)
Is terrain too steep or is antenna too high for that terrain?





Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths

Difficult Terrains

- Distant mountains






VK0IR

**Big Ben
volcano**

Heard Island and McDonald Islands

Difficult Terrains

- Distant mountains




Good luck, California...

Difficult Terrains

- Shooting uphill
- Saddlebacks
- Peeking over a hump
- Terrain is too steep (too much of a good thing?)
- Distant mountains
- Vastly different terrain shapes at different azimuths


Difficult Terrains

- Vastly different terrain shapes at different azimuths



Difficult Terrains


- Vastly different terrain shapes at different azimuths



For a single tower, you choose the optimal height for your most important direction — probably Europe for a W1.

Miscellaneous Observations

- Short-path or long-path?




JA3AOP Long-Path to Africa



Miscellaneous Observations

- Short-path or long-path?





“Hurricane Strap”— the winds are merciless on JA3AOP’s hill

Putting It All Together

- You need to know the range of elevation angles for full coverage to your target destination.



Putting It All Together

- You need to know the range of elevation angles for full coverage to your target destination.
- You should know how your antennas work under ideal conditions (free space, or flat ground).



Putting It All Together

- You need to know the range of elevation angles for full coverage to your target destination.
- You should know how your antennas work under ideal conditions (free space, or flat ground).
- Then, you can analyze the effects of irregular local terrain and optimize heights, stacks or tower placement on your property.



Finally, Keep Your Perspective!

It's very easy to get very involved, even consumed, in antenna modeling and terrain analysis.

Finally, Keep Your Perspective!

It's very easy to get very involved, even consumed, in antenna modeling and terrain analysis.

If you're already $S9 + 20$ dB into Europe, *bulldozing* your terrain to get another 2 dB of gain might result in a $S9 + 22$ dB signal...

Finally, Keep Your Perspective!

It's very easy to get very involved, even consumed, in antenna modeling and terrain analysis.

If you're already $S9 + 20$ dB into Europe, *bulldozing* your terrain to get another 2 dB of gain might result in a $S9 + 22$ dB signal...

But in a pileup — or at the noise level — 2 dB can be a big deal.



Finally, Keep Your Perspective!

It's very easy to get very involved, even consumed, in antenna modeling and terrain analysis.

If you're already $S9 + 20$ dB into Europe, *bulldozing* your terrain to get another 2 dB of gain might result in a $S9 + 22$ dB signal...

But in a pileup — or at the noise level — 2 dB can be a big deal.

Got your bulldozer ready?



Finally, Keep Your Perspective!

It's very easy to get very involved, even consumed, in antenna modeling and terrain analysis.

If you're already $S9 + 20$ dB into Europe, *bulldozing* your terrain to get another 2 dB of gain might result in a $S9 + 22$ dB signal...

But in a pileup — or at the noise level — 2 dB can be a big deal.

Got your bulldozer ready?

HFTA comes with *The ARRL Antenna Book*.

